



Rose Tree Corporate Center
1400 N. Providence Rd., Suite 302
Media, PA 19064
Tel: 484-234-5030 • Fax: 484-234-5037

EF 43 Ortho-Cresol 55 Technical Data (A-102A)

Specifications

	<u>Specification</u>	<u>Typical</u>	<u>Test Method</u>
Color	C-3 Max.	<C-1	ASTM D 3627
Moisture	0.3 % Max.	<0.1%	Karl Fisher
Specific Gravity, 15.5[C.	1.050 – 1.060	1.055	
<hr/>			
GC Composition		Range	AP # 4.070
Phenol		22 – 30%	
O-Cresol		55 – 65%	
M,P-Cresol		7 – 15%	
Xylenols and other Phenolic Homologs		= Balance	

Typical Properties

Pounds / Gallon, Liquid	8.78
Flash Point [F (Closed Cup)	178
Boiling Point ([C)	180 – 227
Freeze Point, [C/[F	6/43

Everchem Fluids, LLC
Exclusive North American Distributor
of Sabic Innovative Plastics Cresols

The information in this Product Specification is believed to be accurate but is made without warranty. Everchem Specialty Chemicals disclaims any liability in connection with the use of this information, and does not warranty against infringement by reason of the use of any of its products in combination with other materials or in any process.