



Everchem RD114LE

Description

Everchem RD114LE is a diglycidyl ether of Neopentyl glycol. It is primarily used as a reactive diluent for high viscosity epoxy resins. Everchem RD114LE is compatible in all concentrations with all classes of epoxy resins. Performance properties of system containing RD114LE are maintained at higher level than is possible with mono-functional reactive diluents.

Applications

- Coatings
- Adhesives
- Civil applications
- Electrical potting, impregnation
- Toolings

Specification

Appearance	Visual	Clear liquid
Colour	ASTM D 1544-04	0.5 G max.
Epoxy Equivalent weight	ASTM D 1652-04	130 – 145 g/eq
Viscosity @25°C	ASTM D 2196-05	12 – 18 cP
Hydrolysable Chlorine	ASTM D 1726-03	0.1 % max.
Water content	ASTM E 203-01	0.1 % max.

Typical properties *

Epoxy Value	ASTM D 1652-04	6.90 – 7.69
Density @25°C	ASTM D 1475-98	1.07 g/ml
ECH content	TEC-AS-P-023	10 ppm max.
Non-volatile content	ASTM D 1259-06	100 %
Flash point	ASTM D 93	> 100°C

* = Typical properties are indicated for information only

Packing

Everchem RD114LE is packed and delivered in steel drums, 210 kg per drum as a standard pack.
Other packs are available on request.

Storage

Everchem RD114LE reactive diluent should be stored in original tightly closed container, in dry and warm conditions. Under these conditions, it has a storage life of at least two years from the date of manufacturing.

Handling

Please refer to the MSDS of the product for more instructions on safe storage and handling of Everchem RD114LE.

Disclaimer

All recommendations for use of our products whether given by us in writing, verbally or to be implied from the results of tests carried out by us are based on the current state of our knowledge. Although, the information contained in this sheet is accurate, no liability can be accepted in respect of such information. We warrant only that our product will meet the designated specifications and make no other warranty either express or implied, including any warranty of merchantability or fitness for a particular purpose as the conditions of application are beyond our control.

For Additional Information, Please Contact: Everchem LLC

1400 N. Providence Road, Ste 302
Tel: (484) 234-5030, Fax: (484) 2345030
web Site : www.everchem.com